

1. A computerized meridian linking diagnostic and treatment system for diagnosing and treating existing and latent maladies within a patient, said system comprising:

(a) a computer and computer system capable of storing information thereon and executing one or more computer software functions that control said system, said computer software functions comprising:

a meridian linking function that links all the meridians in a patient to form an interconnected meridian network;

a data access point stabilizing function that establishes and stabilizes one or more data access points as stable reference points having resistance measurements within a pre-determined stable range;

a filter testing function that utilizes customized filters to stress said meridian network to reveal manifested and latent maladies in said patient and to automatically load pre-determined products/remedies identified as effective against said maladies revealed by said customized filters;

an amplification function for varying the amplitude and intensity of said customized filter to reveal both manifested and latent maladies;

a remedy finding function that identifies and isolates a single, most effective and appropriate product/remedy from said loaded products/remedies;

a prescription function that assigns prescription constraints to said

single, most effective and appropriate remedy; and

(b) a meridian linking diagnostic and treatment device controlled by the computer

that outputs one or more filters to a patient through a meridian network, as

5 directed by said computer software functions, using a single stable

reference point.

2. A computerized meridian linking diagnostic and treatment system for diagnosing and treating existing and latent maladies within a patient, said system comprising:

(a) a computer and computer system capable of storing data and executing one or more computer software functions thereon;

5 (b) a meridian linking function that controls said computer to cause a meridian linking diagnostic and treatment device to output a filter that links all of the meridians within the body of a patient to create an interconnected meridian network linking all of the internal systems and organs within said patient to one or more data access points;

10 (c) a data access point stabilizing function that controls said computer to cause said diagnostic and treatment device to output a filter that detects and identifies whether said one or more data access points are stable to function as testing reference points, which, from any single said reference point, all of said internal systems and organs within said patient can be  
15 tested as they are linked via said meridian network, said data access stabilizing function also stabilizing said reference points within a pre-determined stable range throughout a testing session; and

(d) a filter testing function for testing both existing and latent maladies in said patient, said filter testing function controls said computer to cause said  
20 diagnostic and treatment device to selectively output a customized malady-specific filter to said patient at an identified level to determine if said filter induces an imbalance in said meridian network, measured at said reference point, thus indicating a corresponding malady within said

patient, said filter testing function further controls said computer to automatically load one or more products/remedies from a products/remedies database into a products/remedies list if said customized filter induces an imbalance within said meridian network, wherein said loaded products/remedies are pre-determined to correspond to said customized filter and one or more maladies;

(e) a remedy finding function that controls said computer to initiate an elimination process to determine which of said loaded products/remedies are the most effective and the most appropriate for treatment of said patient, wherein the remedy scan function focuses on narrowing a large list of potential treatment remedies down to the single, most effective and appropriate remedy; and

(f) a prescription function that associates prescription constraints with said single, most effective and appropriate remedy for proper treatment of and administration of said remedy to said patient.

3. The computerized meridian linking diagnostic and treatment system of claim 2, further comprising an amplification function that controls said computer to modify the amplitude and intensity of said customized filter to vary the stress induced within said meridian network by said customized filter, said amplification function facilitating diagnosis of both manifested maladies needing corrective treatment and latent maladies eligible for preventative treatment.

4. The computerized meridian linking diagnostic and treatment system of claim 2,  
further comprising a test plate function that controls said computer and said computerized  
diagnostic and treatment device to test said patient's effectiveness and tolerance of said  
products/remedies that are not initially entered and stored within said products/remedies  
5 database against said customized filters that create an imbalance within said meridian  
network as substantiated by a stable point test of said one or more reference points.

5. The computerized meridian linking diagnostic and treatment system of claim 2,  
further comprising an imprinting function that controls said computer and said  
10 computerized meridian linking diagnostic and treatment device to create a tangible  
customized homeopathic remedy of said single, most effective and appropriate  
product/remedy by facilitating the transfer of said filter and any associated  
electromagnetic signatures to an existing homeopathic remedy via a test plate, and as  
substantiated by a stable point test of said one or more reference points.

15  
6. The computerized meridian linking diagnostic and treatment system of claim 2,  
wherein said prescription function comprises a dilution function that controls said  
computer to associate and assign dilution constraints to one or more said  
products/remedies as substantiated by a stable point test of said one or more reference  
20 points.

7. The computerized meridian linking diagnostic and treatment system of claim 2,  
wherein said prescription function comprises a dosage function that controls said

computer to associate and assign quantity and dosage constraints to one or more said products/remedies as substantiated by a stable point test of said one or more reference points.

- 5     8.     The computerized meridian linking diagnostic and treatment system of claim 2, wherein said prescription function comprises a duration function that controls said computer to associate and assign duration constraints to one or more said products/remedies as substantiated by a stable point test of said one or more reference points.

10

9. A computerized diagnostic and treatment system for diagnosing and treating existing and latent maladies within a patient, said system comprising:

(a) a computer and computer system capable of storing data and executing one or more computer software functions thereon;

5 (b) a meridian linking diagnostic device electrically coupled to said computer and comprising:

a primary base unit comprising at least one signal or filter generator

therein that alternates broadcasting of a filter selected from a meridian linking filter, a point stabilizing filter, a malady-specific  
10 customized filter, a product/remedy filter, a prescription constraint filter, and a homeopathic remedy filter;

a stylus electrically coupled to said primary base unit that transfers said broadcast filter from said signal generator to said patient for  
reading and measuring the resistance at one or more data access  
15 points;

a control module located on said primary base unit for controlling several functions of said primary base unit;

(c) a meridian linking function that controls said computer to cause said meridian  
linking diagnostic device to permanently output said meridian linking  
20 filter, said meridian linking filter links all of the meridians within said patient, thus forming a single, interconnected network that links all of the internal systems and organs within said patient to said one or more data access points;

(d) a data access point stabilizing function that controls said computer to cause said meridian linking diagnostic device to permanently output said point stabilizing filter, said point stabilizing filter measures said one or more data access points to determine whether they fall within a pre-determined stable range, wherein said point stabilizing filter establishes and maintains those stable data access points as reference points during a testing session, which, from any single said reference point, all of said internal systems and organs within said patient can be tested;

(e) a filter testing function for testing both existing and latent maladies in said patient, said filter testing function controls said computer to cause said meridian linking diagnostic and treatment device to selectively output said malady-specific customized filter to said patient at an identified level to determine if said filter induces an imbalance in said meridian network, measured at said reference point, thus indicating a corresponding malady within said patient, said filter testing function further controls said computer to automatically load one or more products/remedies from a products/remedies database into a products/remedies list if said customized filter induces an imbalance within said meridian network, wherein said loaded products/remedies are pre-determined to correspond to said customized filter and one or more maladies;

(f) a remedy finding function that controls said computer to cause said meridian linking diagnostic and treatment device to output said product/remedy filters of said loaded products/remedies and to initiate an elimination



process to determine which of said loaded products/remedies are the most effective and the most appropriate for treatment of said patient based on their resistance measurement, wherein the remedy finding function focuses on narrowing a large list of potential treatment remedies down to the single, most effective and appropriate remedy; and

(g) a prescription function that controls said computer to test for and associate stable prescription constraints with said loaded products/remedies, said prescription constraints providing proper treatment guidelines for administration of said remedy to said patient.

10

10. A computerized meridian linking diagnostic and treatment device comprising:  
a primary control unit;  
a computer interface contained within said primary control unit that interfaces  
with a computer and computer system to exchange information with said  
computer and to receive one or more commands from said computer to  
perform a specific task as directed by one or more computer software  
functions stored and executable on said computer;  
a filter generator that continuously broadcasts two permanent filters, one of which  
establishes and maintains a plurality of stable reference points, and one of  
which links the meridians in said patient to form a meridian network linking  
all of the internal organs and systems to said one or more stable reference  
points, said filter generator also broadcasts one or more temporary filters;  
a stylus electrically coupled to said primary control unit for facilitating the  
broadcasting of said filters to said patient via said stable reference points;  
a control unit located on said primary control unit for controlling various  
functions of said device;

11. The device of claim 10, wherein said temporary filters are selected from the group  
consisting of a malady-specific customized filter, a product/remedy filter, a prescription  
constraint filter, a test plate filter, and a homeopathic remedy filter.

12. The device of claim 10, wherein said computer software functions are selected  
from the group consisting of a filter testing function, a remedy scan/finding function, an

amplification function, a prescription constraint function, a test plate function; and an imprinting function.

13. A computer program product for linking the meridians within the body through a single data access point to form an interconnected meridian network, said computer program product comprising:

code that controls a computer to cause a meridian linking device to continuously

5                   output a permanent point stabilizing filter that establishes and maintains at least one data access point as a stable reference point having a resistance within a pre-defined stable range;

code that controls a computer to cause a meridian linking device to continuously

                  output a permanent meridian linking filter via said stable reference point,  
10               said meridian linking filter forming a meridian network that links all of the internal systems and organs within a patient to a single stable reference point.

14. The computer program product of claim 13, further comprising code that controls

15               a computer to cause a meridian linking device to output one or more temporary filters and to test and measure the resistance induced by said temporary filters at said single stable reference point.

15. The computer program product of claim 14, wherein said temporary filters are

20               selected from the group consisting of a malady-specific customized filter, a product/remedy filter, a prescription constraint filter, a test plate filter, and a homeopathic remedy filter.

16. The computer program product of claim 13, further comprising code that controls a computer to signal an unstable reference point if said resistance of said reference point ever falls without said stable range, thus allowing utilization of another stable reference point.

5

17. A computer program product for diagnosing and treating one or more maladies in a patient, said computer program product comprising:

code that controls a computer to cause a meridian linking device to output a permanent point stabilizing filter that establishes and maintains at least one data access point as a stable reference point;

code that controls a computer to cause a meridian linking device to output a permanent meridian linking filter via said stable reference point, said meridian linking filter forming a meridian network that links all of the internal systems and organs within a patient to said stable reference point;

code that controls a computer to cause a meridian linking device to output remedy-specific customized filter;

code that causes a computer to automatically load and store within a product/remedy database one or more products/remedies corresponding to one or more of said customized filters that creates an imbalance in said meridian network;

code that causes a computer to identify from said loaded products/remedies a single, most effective and appropriate product/remedy capable of restoring homeostasis.

18. The computer program product of claim 17, further comprising code that controls a computer to modify the amplitude and intensity of said customized filter broadcast by said meridian linking device to vary the stress induced within said meridian network by said customized filter, said amplification function facilitating diagnosis of both

manifested maladies needing corrective treatment and latent maladies eligible for preventative treatment.

19. The computer program product of claim 17, further comprising code that causes a  
5 computer to associate and assign one or more prescription constraints to said single, most effective and appropriate product/remedy.

20. The computer program product of claim 17, further comprising code that causes a  
computer to test the effectiveness and appropriateness of products/remedies that are not  
10 initially entered and stored within a product/remedy database against those said customized filters creating an imbalance within said meridian network.

21. The computer program product of claim 17, further comprising code that causes a  
computer to imprint a product/remedy and its associated electromagnetic signature onto  
15 or within an existing homeopathic remedy.

22. A computer readable medium comprising a data structure for storing patient remedies obtained by utilizing a computerized meridian linking diagnostic and treatment system that establishes and stabilizes one or more data access points as reference points and that links the meridians within a patient to form an interconnected meridian network
- 5 that links all of the systems and organs within said patient to said one or more reference points, said remedies comprising one or more electromagnetic signatures corresponding to discovered treatments and treatment parameters.



23. A method in a computer system for identifying and treating both existing and latent maladies in a patient from a single reference data access point, said method comprising the steps of:

obtaining a computerized meridian linking diagnostic and treatment system;

5 activating a point stabilization function to broadcast a point stabilization filter that

establishes one or more data access points as stable reference points

having measured resistance values within a pre-determined stable range;

activating a meridian linking function to broadcast a meridian linking filter that

forms a meridian network that links all of the organs and systems in a

10 patient to a single stable reference point;

activating a filter testing function to broadcast a customized filter corresponding

to a pre-determined malady, said customized filter stresses said meridian

network to diagnose any maladies in said patient;

amplifying said customized filter to vary its intensity, thus revealing latent

15 maladies eligible for preventative treatment;

testing through one or more products/remedies automatically loaded by and stored

within said system in response to any one of said customized filters that

induce an imbalance in said meridian network to identify a single, most

effective and appropriate remedy for treatment of said malady; and

20 administering said single, most effective and appropriate product/remedy to said

patient.

24. The method of claim 23, further comprising assigning one or more prescription constraints to said single, most effective and appropriate remedy prior to said step of administering.

5 25. The method of claim 23, further comprising testing the effectiveness and appropriateness of products/remedies that are not initially entered and stored within a product/remedy database against those said customized filters creating an imbalance within said meridian network, and utilizing these as treatment remedies.

10 26. The method of claim 23, further comprising imprinting a product/remedy and its associated electromagnetic signature onto or within an existing homeopathic remedy to create a customized homeopathic remedy and administering said customized homeopathic remedy to said patient as treatment.

15